

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

P A P E R

1 N

MANUFACTURES.

MANUFACTURES.

A Bounty of FIFTEEN GUINEAS Was this Session voted to Mr. Thomas Clulow, No. 31, Old Cock-Lane, Shoreditch, for his Invention of a Loom to weave figured Ribbands, a Model of which is reserved in the Society's Repository, for the inspection of the Public.

THIS Loom differs from the common figured Ribband-Looms in the method of forming the figure, which, in the old mode, was tedious, from the work being stopped, whilst the figure was drawn by the hand.

In the present Loom the tire cords, which form the figure, are drawn or \$2 worked

worked by a cord or leather strap fixed to the centre traddle, which strap passes over two vertical and one horizontal pulley to the back of the loom, and has a weight hung to the end thereof: upon this strap, above the weight, is fixed an iron of a bevil or sloping form, which, when the strap is pulled up by pressing with the foot upon the traddle, raises a wire lever placed across the main wheel of the movements placed vertically, and allows this main wheel to move one fourth of its circumference, where it is stopped by an iron pin placed on its rim, and prevented from returning by a clitch or catch on the edge of the wheel on its right-side. Within the rim of the main wheel is a small catch-strap connected with the strap above mentioned; this catch-strap pulls forward the main wheel one fourth of its circumference until it is stopped by the wire-lever, and one of the pins on the rim, of which there are four in number in the round.

There

MANUFACTURES.

There are also four iron pins projecting from the left side of the main wheel in opposite quarters of it; these act on a hanging lever, to the lower part of which a string is attached which passes behind the box, containing the whole machinery, and raises four clicks or catches on four rollers, which permits any one of the four rollers to run back as the figure may require, each roller, by such motion, drawing up the number of threads necessary to form the figure, by cords extending from these rollers over pulleys to the pass-cords which draw the figure.